

🇪🇺 +4 888 372-65-94

📞 Whatsapp

www.kerland.by

🇧🇪 +375 29 825-18-70

🇧🇪 +375 29 737-54-69

europe@kerland.by



KERLAND

ATTACHEMENTS FOR TRACTORS



WHOLESALE PRICE LIST VIP OF 20.07.2026




LOADER	S20	S26	S30
Aggregated with tractors:	- Zimani BX25 - Кентавр Т-4К - Кентавр Т-344 - Hinomoto	- Solis S26,6+2, 9+9, HST, XTRA - Mitsubishi VST MT-180D / MT270 / MT224 / MT225 - Mahindra series OJA - Mahindra series JIVO - Kubota A211N / B2441 / B2741 - TAFE 6022 / 6028 M - John Deere 3028 EN - Farmtrac 26 Atom - Hinomoto HM3030 / HM4025 - Кентавр 444 MASTER - Xingtai XT-244	- Kubota L3408 - Mitsubishi VST 939 DI - John Deere 3036 EN
• Load capacity (kg)	350	430	500
• Unloading height (mm)	2100	2200	2570
• Bucket dimensions (mm)	580x530x1440	580x530x1440	580x530x1440
• Bucket volume (m3)	0,25	0,25	0,25
• Overall dimensions (mm)	2070x1230x940	2070x1230x940	2180x1230x940

EQUIPMENT

- Joystick control
- Diverter for connecting active working tools
- Quick-release from the tractor
- Quick-release of working tools (Euro frame)
- Floating mode distributor
- Bucket level indicator
- Mechanical self-leveling system

ALL INFORMATION ABOUT LOADERS

Scan the QR code and go to the catalog kerland-kun.com



Price with a bucket for loose cargo:

€1600 + VAT
€1700 + VAT

Price with jaw bucket:

€1750 + VAT
€2000 + VAT
€2200 + VAT




LOADER	TB904	KE354 Premium	KE354 Basic
Aggregated with tractors:	- SCOUT SERIES TB; - DongFeng 804E, 904, 1004E, 1104E; - Shifeng SF-904; - Foton Lovol TE-804, 904;	- SCOUT SERIES TE; - Kubota MU4501 - Xingtai XT-504; - Кентавр 654; - Shifeng SF-504; - DongFeng 504, 554; - Foton Lovol TE-504, 604;	- SCOUT SERIES TE; - SCOUT TE-254; - KERLAND 354 G3 - Xingtai T-254; - Dongfeng 404; - Foton Lovol TE-354, 404;
• Load capacity (kg)	600	600	500
• Unloading height (mm)	3200	2820	2820
• Bucket volume (m3)	0,31	0,25	0,25
• Bucket width (mm)	1760	1427	1427
• Lifting cycle time (s)	4	4	4
• Lowering cycle time (s)	2	2	2
• Bucket Type	Reinforced jaw bucket	Jaw bucket	

EQUIPMENT

- Joystick control
- Diverter for connecting active working tools
- Quick-release from the tractor
- Quick-release of working tools (Euro frame)
- Floating mode distributor
- Bucket level indicator
- Mechanical self-leveling system

ALL INFORMATION ABOUT LOADERS

Scan the QR code
and go to the catalog
kerland-kun.com



Price:

€2500 + VAT

€2300 + VAT

€2200 + VAT



SNOW BLADE ATTACHMENT EURO 500

- Shovel dimensions: 1600x500 mm
- Aggregate: Euroframe
- Total weight: 80 kg
- Coating type: Powder
- Angle of rotation: 29°

Price mechanical
rotation:

€400 + VAT

Hydraulic turning price:

€450 + VAT



UNIVERSAL SNOW BLADE ATTACHMENT S26


- Shovel dimensions: 1600x500 mm
- Universal mount size: 300x310 mm
- Total weight: 85 kg
- Coating type: Powder
- Angle of rotation: 31°

Price mechanical
rotation:

€400 + VAT

Hydraulic turning price:

€450 + VAT



LOADING FORKS

- Working length of pallets: 1250 mm
- Length, upper bayonet: 770 mm
- Length, lower bayonet: 1010 mm
- Dimensions (L×W×H): 1514x1204x570 mm

Price:

€450 + VAT



JAW BUCKET

- Bucket volume: 0,16 m³
- Dimensions: 580x530x1440 mm
- Working width: 1420 mm
- Weight: 88 kg

Price:

€450 + VAT



SEMITRAILER P3530

Can be attached to the tractors of drawbar categories 0.6-1.4

• Dimensions:	length	4350 mm	• Track width:	1500±5 mm
	width	2080 mm	• Tires:	11.5/80-15.3
	height	1470 mm	• Unload type:	Three-way
• Body internal dimensions:	length	2880 mm	• Coating type:	Powder
	width	1880 mm	• Made in:	Belarus
	height	490 mm		
• Semitrailer weight:		850 kg	Semitrailer price:	€2950 + VAT
• Total weight:		4350 kg	Extra side price:	€320 + VAT
• Cargo capacity:		3500 kg		



SEMITRAILER P3210

Can be attached to the tractors with 20 HP or more

• Dimensions:	length	3210 mm	• Track width:	1500±5 mm
	width	1500 mm	• Tires:	185/65R15
	height	1250 mm	• Unload type:	Dump truck
• Body internal dimensions:	length	1940 mm	• Coating type:	Powder
	width	1370 mm	• Made in:	Belarus
	height	500 mm		
• Semitrailer weight:		350 kg	Price:	€1000 + VAT
• Total weight:		1850 kg		
• Cargo capacity:		1500 kg		



SEMITRAILER P2000-1

Can be attached to the tractors of drawbar categories 0.6-1.4

• Dimensions:	length	2950 mm	• Track width:	1500±5 mm
	width	1900 mm	• Tires:	155/70R13
	height	1030 mm	• Unload type:	Dump truck
• Body internal dimensions:	length	2000 mm	• Coating type:	Powder
	width	1280 mm	• Made in:	Belarus
	height	400 mm		
• Semitrailer weight:		210 kg		
• Total weight:		1210 kg		
• Cargo capacity:		1000 kg	Price:	€740 + VAT



SEMITRAILER P2000

Can be attached to mini-tractors, walking tractors

• Dimensions:	length	3550 mm	• Track width:	1500±5 mm
	width	1650 mm	• Tires:	155/70R13
	height	890 mm	• Coating type:	Powder
• Body internal dimensions:	length	2000 mm	• Made in:	Belarus
	width	1200 mm		
	height	410 mm		
• Semitrailer weight:		145 kg		
• Total weight:		745 kg		
• Cargo capacity:		600 kg	Price:	€350 + VAT



MULCHING PRO	1200	1200-1	1400	1400-1	1600	1600-1	1800	1800-1	2000	2000-1
• Working width:	1,2 m	1,2 m	1,4 m	1,4 m	1,6 m	1,6 m	1,8 m	1,8 m	2.0 m	2.0 m
• Number of working elements:	18 pcs.	18 pcs.	21 pcs.	21 pcs.	25 pcs.	25 pcs.	28 pcs.	28 pcs.	32 pcs.	32 pcs.
• Weight:	375 kg	385 kg	405 kg	415 kg	430 kg	440 kg	455 kg	460 kg	475 kg	480 kg
• Required tractor power:	25 hp	25 hp	35 hp	35 hp	40 hp	40 hp	50 hp	50 hp	60 hp	60 hp
• Rear roller:	✓		✓		✓		✓		✓	
• Support wheels:		✓		✓		✓		✓		✓
Price:	€1520	€1600	€1620	€1700	€1680	€1780	€1820	€1900	€1940	€2000
	+VAT	+VAT	+VAT	+VAT	+VAT	+VAT	+VAT	+VAT	+VAT	+VAT



LAWN MOWER ATTACHMENT RK1600

- Dimensions: length 2500 mm
width 1970 mm
height 720 mm

- Working width: 1600 mm

- Weight: 340 kg

- Lateral shift: 400 mm

- Cutting height: 30-150 mm

- Required tractor power: up to 30 hp

Price:

€1200 +VAT



ROTARY TILLER	K 1000	K 1200	K 1400	K 1600	K 1800	K 2000
• Working width:	1,0 m	1,2 m	1,4 m	1,6 m	1,8 m	2,0 m
• Weight:	175 kg	180 kg	190 kg	210 kg	230 kg	250 kg
• Amount of blades:	16	20	24	28	32	36
• Length:	830 mm	830 mm	830 mm	830 mm	830 mm	830 mm
• Width:	1100 mm	1330 mm	1530 mm	1730 mm	1930 mm	2130 mm
• Height:	910 mm	910 mm	910 mm	910 mm	910 mm	910 mm
Price:	730€ +VAT	750€ +VAT	790€ +VAT	845€ +VAT	900€ +VAT	955€ +VAT



ROTARY TILLER	B 1400	B 1600	B 1800	B 2000
• Working width:	1,4 m	1,6 m	1,8 m	2,0 m
• Weight:	320 kg	345 kg	365 kg	400 kg
• Amount of blades:	36	42	48	54
• Length:	1100 mm	1100 mm	1100 mm	1100 mm
• Width:	1660 mm	1860 mm	2080 mm	2300 mm
• Height:	1170 mm	1170 mm	1170 mm	1170 mm
Price:	990€ +VAT	1050€ +VAT	1100€ +VAT	1190€ +VAT



SEPARATIVE TILLER	S 1200	S 1400	S 1600	S 1800	S 2000
• Working width:	1,2 m	1,4 m	1,6 m	1,8 m	2,0 m
• Weight:	340 kg	390 kg	440 kg	490 kg	540 kg
• Number of knives:	24	28	32	36	40
• Length:	960 mm	960 mm	960 mm	960 mm	960 mm
• Width:	1460 mm	1660 mm	1860 mm	2060 mm	2260 mm
• Height:	1560 mm	1560 mm	1560 mm	1560 mm	1560 mm
Price:	1 800€ + VAT	1 870€ + VAT	1 940€ + VAT	2 080€ + VAT	2 360€ + VAT



PLOW	220	225	320	325
• Amount of bodies:	2	2	3	3
• Body width:	0,2 m	0,25 m	0,2 m	0,25 m
• Working width:	0,4 m	0,5 m	0,6 m	0,75 m
• Working depth:	up to 200 mm	up to 250 mm	up to 200 mm	up to 250 mm
• Height under body:	480 mm	600 mm	480 mm	600 mm
• Plow weight:	90 kg	130 kg	150 kg	180 kg
• Required power:	20/22 kW	22/30 kW	22/30 kW	33/45 kW
Price:	€240 + VAT	€290 + VAT	€320 + VAT	€405 + VAT

PLOW	PT225
• Amount of bodies:	2
• Plowing depth:	210 mm
• Working width:	515 mm
• Total weight:	75 kg
• Coating type:	Powder
• Made in:	Belarus
Works with minitractors with three-point hydraulic system	
Price:	€180 + VAT



HILLER OK300 / OK500

Works with tractors of 20 HP and more

- Number of sections: 3/5
- Row spacing width: 625–750 mm
- Total weight: 105/175 kg
- Coating type: Powder
- Made in: Belarus

OK300 price: **€265 + VAT**

OK500 price: **€440 + VAT**



CULTIVATOR

KT180

KT210

- | | | |
|--------------------|---------|---------|
| • Working width: | 1,8 m | 2,1 m |
| • Weight: | 150 kg | 180 kg |
| • Amount of teeth: | 11 | 14 |
| • Length: | 1590 mm | 1590 mm |
| • Width: | 1850 mm | 2150 mm |
| • Height: | 1200 mm | 1200 mm |

Price:

**€345
+ VAT**

**€390
+ VAT**



POTATO SETTER

ST1

ST2

ST2-2

- | POTATO SETTER | ST1 | ST2 | ST2-2 |
|-------------------------|----------------|----------------|----------------|
| Works with tractors of: | 16 HP and more | 20 HP and more | 20 HP and more |
| • Planting width: | 620–700 mm | 625–675 mm | 700–750 mm |
| • Tank capacity: | 90 l | 180 l | 300 l |
| • Total weight: | 130 kg | 210 kg | 220 kg |
| • Coating type: | Powder | Powder | Powder |
| • Made in: | Belarus | Belarus | Belarus |

Price:

€420 + VAT

€590 + VAT

€690 + VAT



CONVEYOR POTATO DIGGER Kt1

Works with tractors of 20 HP and more

- | | |
|------------------------|------------|
| • Number of rows: | 1 |
| • Working width: | 625–675 mm |
| • Number of conveyors: | 1 |
| • Total weight: | 220 kg |
| • Coating type: | Powder |
| • Made in: | Belarus |

Price: **€800 + VAT**



VIBRATING POTATO DIGGER

Works with tractors from 16 HP

- | | |
|-------------------|---------|
| • Number of rows: | 1 |
| • Working width: | 55 cm |
| • Total weight: | 110 kg |
| • Made in: | Belarus |

Price: **€550 + VAT**



VIBRATING POTATO DIGGER 09H

Works with tractors from 16 HP

- | | |
|------------------------|---------|
| • Number of work rows: | 1 |
| • Grip width: | 440 mm |
| • Total weight: | 62 kg |
| • Coating type: | Powder |
| • Made in: | Belarus |

Price: **€285 + VAT**



ROTARY SWEEPER	2000	1600
• Wheels:	4 × 10	3,50 × 6
• Brush discs:	120 × 550 (green)	120 × 500 (green)
• Support:	Regulated	Regulated
• Equipment weight:	240 ± 20 kg	150 ± 20 kg
• Working width:	1850 mm	1600 mm
• Number of discs:	36	34
• Max rotation speed:	280 rpm	250 rpm
• Working speed:	8 ± 10 км/ч	8 ± 10 км/ч
• Work element approach angle:	25°	25°
• Dimensions:	length 1820 mm width 2122 mm height 861 mm	length 1400 mm width 1810 mm height 680 mm

Price:

€820 + VAT
€780 + VAT



We use a dual-quality control system, with each subsequent production stage serving as a quality control for the previous one. This production system nearly excludes the possibility of a product defect.



KERLAND

KERLAND plant was built in Belarus as a joint venture with a Polish manufacturer of suspended tractor equipment. All business processes and quality standards implemented in production are inherited from European manufacturers, and the production lines are equipped with high-precision European machines.

All products have EAC certificates. They are painted with powder paint and assembled from components produced only by trusted European manufacturers.




Our work team
has 80 people



Every month we produce
more than 900 product units



2500 m²
of production area



More than 40 dealers
work with us

 +4 888 372-65-94

 **Whatsapp**

www.kerland.by


 +375 29 825-18-70

 +375 29 737-54-69


europe@kerland.by



KERLAND



KERLAND.BY



WhatsApp